



LIBRARY
OF THE
UNIVERSITY
OF ILLINOIS

580.5


FB


v. 17

BIOLOGY


MAY 19 1953

NATURAL
HISTORY









PUBLICATIONS
OF
FIELD MUSEUM OF NATURAL
= HISTORY

BOTANICAL SERIES
VOLUME XVII

THE LIBRARY OF THE
NOV 30 1940
UNIVERSITY OF ILLINOIS



CHICAGO, U.S.A.
1937-1939 ✓

PRINTED IN THE UNITED STATES OF AMERICA
BY FIELD MUSEUM PRESS

INDEX

Synonyms in *italics*

- Acacia, 365
 Farnesiana, 365
 Milleriana, 365
 salvadorensis, 365
Acalypha, 373
 alopescuroides, 373
 leptopoda, 373
 macrostachya, 373
 porphyrantha, 373
Acanthaceae, 394
Acetosa, 6
Acetosella, 6
Achimenes, 393
 grandiflora, 393
 longiflora, 393
Achyrocline, 399
 deflexa, 400
 Yunckeri, 399
Acrostichum, 301
 daneaefolium, 301
Actinidiaceae, 376
Adiantopsis, 301
 radiata, 301
Adiantum, 301
 concinnum, 301
 tenerum, 301
 trapezoides, 301
Agastache ionocalyx, 272
 Palmeri, 272
Ageratum, 400
 conyzoides, 400
Aleurites moluccana, 559
 Remyi, 558
Alismaceae, 311
Alsophila, 300
 mexicana, 300
 Schiedeana, 300
Amaioua contracta, 211
Amaranthaceae, 240
Amaranthus Parodii, 240
Amaryllidaceae, 229, 323
Ampelocera Hottlei, 234
Amphilophium, 392
 pilosum, 392
Amyris Marshii, 195
 monophylla, 197
Anacardiaceae, 374
Anaptychia, 295
 leucomelaena, 295
 leucomelaena var. albociliata, 295
 podocarpa var. conferta, 295
Andropogon, 312
 bicornis, 312
 furcatus, 312
 leucostachyus, 312
Anemia, 299
 adiantifolia, 299
 humilis, 299
 pastinacaria, 299
 Phyllitidis, 299
Añilillo, 266
Aniseia martinicensis, 206
Anisomeris, 394
 protracta, 394, 395
 rudis, 394
Anneslia centralis, 366
 pueblana, 367
Annonaceae, 363
Anthericum crinitum, 228
Anthurium, 316
 basiattenuatum, 316
 concinnum, 317
 lucens, 317
 pallens, 317
 parvispathum, 317
 scandens, 317
 Yunckeri, 317
Antidesma platyphyllum, 561, 568
 platyphyllum var. genuinum f. rubrum, 571
 platyphyllum var. hamakuaense, 572
 platyphyllum var. Hillebrandii, 572
 platyphyllum var. subamplexicaule, 573
 pulvinatum, 574
 pulvinatum var. leiogonum, 576
Apu, 161
Apocynaceae, 387
Apuí, 159
Aquatici, 7
Aquifoliaceae, 198, 374
Araceae, 316
Aralia, 383
 humilis, 383
Araliaceae, 205, 267, 383
Arbutus, 385
 xalapensis, 385
Ardisia, 385
 compressa, 385
Arenaria, 362
 lanuginosa, 362
Aristolochia brevipes, 238
 Cardenasii, 237
 Marshii, 238
 martiniana, 238
 queretorum, 239
Aristolochiaceae, 237
Artanthe Galeottii, 347
Arthrostemma, 381
 fragile, 381
Arundinaria, 312
Asclepiadaceae, 267, 387

- Asclepias*, 387
curassavica, 387
guatemalensis, 387
Asplenium, 301
auritum, 301
cristatum, 301
formosum, 301
miradorensis, 301
praemorsum, 301
radicans var. *partitum*, 301
serra, 301
serratatum, 301
Asta, 236
Aster, 400
bullatus, 400
lateriflorus, 435
paniculatus, 435
Ataco, 241
Atrichum, 298
angustatum var. *Mulleri*, 298
Axillares, 6, 8
Axonopus, 312
rhizomatosus, 312
Baccharis, 400
glutinosa, 400
trinervis, 400
Bacopa, 392
rotundifolia, 392
Bambusa, 312
Bartramiaceae, 296
Bassia hyssopifolia, 240
Befaria, 385
mexicana, 385
Begonia, 378
MacDanielsii, 266
tovarensis, 378
Yunckeri, 378
Begoniaceae, 266, 378
Bertiera guianensis, 274
Besleria, 393
laxiflora, 393
Betulaceae, 356
Bidens, 400
aristosa, 607
aristosa var. *mutica*, 607
Bequaertii var. *amplior*, 595
Bruceae, 605
cernua, 607
cernua var. *oligodonta*, 607
Chandleri, 597
connata, 607
connata var. *petiolata*, 607
coronata, 606
coronata var. *brachyodonta*, 606
coronata var. *tenuiloba*, 606
coronata var. *trichosperma*, 606
coronata var. *typica*, 606
Dielsii var. *incisior*, 599
diversa var. *megaglossa*, 602
dolosa, 596
Elliotii, 594
filiformis, 600
Gossweileri, 604
Grantii, 600
Grantii var. *Dawei*, 600
Grantii var. *exaltata*, 600
Grantii var. *Scaettae*, 600
Grantii var. *Stapfii*, 600
heterodoxa var. *atheistica*, 607
Hoffmannii, 605
Hoffmannii var. *angustata*, 595
hyperborea, 607
hyperborea var. *gaspensis*, 607
imatongensis, 588
infirmata, 607
insignis, 591
Lynesii, 590
magnifolia, 597
modesta, 602
Moorei, 604
Moorei var. *verrucosa*, 604
nobilis, 593
Onisciformis, 602
pilosa var. *radiata*, 400
rubifolia, 597
Schimperi, 602
Schimperi var. *brachycera*, 585
Schimperi var. *leiocera*, 586
Schlechteri, 594
Schweinfurthii, 599
Snowdenii, 586
somaliensis, 584
somaliensis var. *bukobensis*, 584
Stephia var. *Elskensis*, 584
superba var. *brachycarpa*, 599
taitensis, 595
Taylorae, 594
Bignoniaceae, 392
Bird fig, 171
Blakea, 381
aeruginosa, 381
Blechnum, 301
occidentale, 301
unilaterale, 301
Boehmeria, 360
caudata, 360
Boerhaavia, 361
erecta, 361
Bomarea, 323
ovata, 323
Bombacaceae, 199, 266
Boraginaceae, 389
Borreria, 395
fruticosa, 395
Brassavola, 324
cucullata, 324
Brittonastrum ionocalyx, 272
Palmeri, 272
Bromeliaceae, 318
Brosimopsis, 156
Brosimum acutifolium, 156
caniceps, 156
Krukovii, 157
myristicoides, 157
palmarum, 158

- Brosimum paraense*, 157
 potabile, 158
 terrabanum, 235
 Bryaceae, 296
Bryophyllum, 363
 pinnatum, 363
Bryum, 296
 andicola, 296
 argenteum var. *lanatum*, 296
Buchnera, 392
 pusilla, 392
Bunchosia, 372
 pilosa, 372
Byrsonima, 373
 crassifolia, 373
 Cactaceae, 379
Cafecillo, 274
Calathea, 324
 verapax, 324
Calliandra, 365
 arborea, 365
 centralis, 366
 Gentryi, 261
 leucothrix, 366
 Yunckeri, 367
Callicarpa, 389
 acuminata, 389
Callirrhoe sidalceoides, 198
Calocarpum, 385
 mammosum, 385
Calopogonium, 367
 coeruleum, 367
Calpidea Brunoniana, 542
Calyptranthes, 379
 hondurensis, 379
Campelia, 322
 Zanonia, 322
Canavalia, 367
 villosa, 367
Cápida, 202
 Capparidaceae, 191
Capparis Millei, 191
 Caprifoliaceae, 398
Capsicum, 390
 macrophyllum, 390
Caraco, 163, 164
Cardiospermum, 375
 microcarpum, 375
Carex, 314, 442
 Humboldtiana, 314
 polystachya, 314
 Caricaceae, 200
 Caryophyllaceae, 190, 244, 362
Cassia, 367
 laevigata, 367
 serpens, 368
 spectabilis, 368
Castanha, 257
Catasetum, 324
 maculatum, 324
Catopsis, 318
 brevifolia, 318
 nitida, 318
 nutans, 318
 Oerstediana, 318
 subulata, 318
Cautivo, 234
Cecropia, 359
 mexicana, 359
 Celastraceae, 375
Cellis Hotlei, 234
Centradenia, 382
 Bernoullii, 382
Cephaelis, 395
 axillaris, 395
 elata, 395
 madeirana, 212
Cerastium guatemalense, 244
Cereus, 379
 hondurensis, 379
Cestrum, 390
 nocturnum var. *mexicanum*, 390
Chaetoptelea, 359
 mexicana, 359
Chamaedorea, 316
 geonomaeformis, 316
 graminifolia, 316
 Lindeniana, 316
Chancarro blanco, 267
Chaptalia, 400
 nutans, 400
Cheilanthes, 301
 angustifolia, 301
 Chenopodiaceae, 240
Chimaphila, 384
 dasystemma, 384
Chiococca, 395
 alba, 395
 phaenostemon, 395
Chiodecton, 294
 sanguineum, 294
 Chiodectonaceae, 294
Chirigua, 200
 Chloranthaceae, 356
Chócola, 201, 202
Chrysophyllum, 385
 oliviforme, 385
Chrysopsis, 423
Chthamalia nummularia, 270
Cibotium, 300
 regale, 300
Cissampelos, 362
 Pareira, 362
 tropaelifolia, 362
Cissus, 375
 cacuminis, 375
 Martiniana, 376
 rhubifolia, 376
 salutaris, 376
 sicyoides, 376
Citharexylum, 389
 Mocinni, 389
Cladonia, 294
 chlorophaea, 294

- Cladonia corymbulosa*, 294
 crystalata, 294
 didyma, 295
 imbriata, 295
 imbriata var. *Balfourii*, 295
 imbriata var. *chondroidea*, 295
 Floerkeana, 295
 furcata var. *pinnata*, 295
 pityrea, 295
 subcariosa, 295
Cladoniaceae, 294
Claoxylon, 548
 Helleri, 549
 insigne, 557
 Remyi, 557
 sandwicense, 550
 sandwicense var. ζ *Degeneri*, 556
 sandwicense var. ϵ *glabrescens*, 555
 sandwicense var. γ *Hillebrandii*, 554
 sandwicense var. β *magnifolium*, 551
 sandwicense var. *magnifolium* f. *glabrescens*, 555
 sandwicense var. δ *tomentosum*, 554
 tomentosum, 549
Clavellino, 262
Clerodendron ligustrinum, 207
 Matudae, 206
Clethra, 384
 hondurensis, 384
Clethraceae, 384
Clidemia, 382
 dentata, 382
 hirta, 382
 rubra, 382
Clusia, 377
 Salvinii, 377
Coccocarpia, 294
 cronia var. *isidiophylla*, 294
Coccocypselum, 395
 hirsutum, 395
Coccoloba, 361
 cardiophylla, 361
 chacoensis, 339
Cochlospermum vitifolium, 237
Cologania, 368
 procumbens, 368
Colorin, 264
Columnnea, 393
 pilosissima, 393
 rubricaulis, 393
 venusta, 210
Commelina, 322
 coelestis, 322
Commelinaceae, 227, 322
Comparettia, 324
 falcata, 324
Compositae, 224, 284, 399
Conceveiba guyanensis, 416
 Krukoffi, 414
 magnifica, 414
 simulata, 416
Conglomerati, 8
Connaraceae, 365
 Connarus, 365
 Lambertii, 365
Conostegia, 382
 subhirsuta, 382
 xalapensis, 383
Convolvulaceae, 206, 388
Corallocarpus hypoleucus, 223
Coreopsis auriculata, 609
 grandiflora, 608, 609
 grandiflora var. *Harveyana*, 610
 heterogyna, 609
 intermedia, 609
 lanceolata, 609
 Linifolia, 609
 ochracea var. *Lugardii*, 608
 Oniscicarpa, 609
 pinnatipartita, 593
 pubescens, 609
 pubescens var. *robusta*, 611
Cormi, 183
Corytholoma, 394
 Warszewiczii, 394
Cosmos, 400
 crithmifolius, 400
Couepia calophlebia, 248
 Dahlgrenii, 248
 habrantha, 249
 Krukovii, 250
 latifolia, 251
 Martiana, 249
Coussapoa araneosa, 158
 boliviana, 159
 cornifolia, 160
 Eggersii, 160
 embirana, 161
 ficina, 161
 Froesii, 162
 hirsuta, 161
 hypochlora, 162
 Krukovii, 163
 Lawrancei, 164
 Lehmannii, 164
 orthoneura, 165
 parvifolia, 165
 rhamnoides, 166
 suberenata, 166
 villosa, 161
Coussarea Duckei, 274
 Krukovii, 212
 mexicana, 274
Cranichis, 325
 pseudociliata, 325
Crassulaceae, 363
Crinum, 324
 cruentum, 324
Crispi, 8
Croton, 374
 ciliato-glandulosus, 374
 repens, 374
Crucecillo, 274
Cruciferae, 191, 248
Crusea, 395
 calocephala, 395

- Ctenidium, 298
 hondurense, 298
 molluscum, 298
 Cucurbitaceae, 223, 399
 Cuphea, 379
 carthagenensis, 379
 Hookeriana, 379
 utriculosa, 379
 Curatella americana, 237
 Cuscuta, 388
 strobilacea, 388
 Cyathea, 300
 mexicana, 300
 Cyatheaaceae, 300
 Cyperaceae, 314
 Cyperus, 314
 cayennensis, 314
 haspan, 314
 incompletus, 314
 prolixus, 314
 surinamensis, 314
 tenerrimus, 314
 unioloides, 314
 Cyphomandra, 390
 heterophylla, 390
 mollicella, 390

 Dalbergia, 368
 cubilquitzensis, 368
 Dama de noche, 268
 Darbolia, 457
 Declieuxia, 396
 fruticosa var. *mexicana*, 396
 Delphinium calcar-equitis, 244
 valens, 245
 Dennstaedtia, 302
 globulifera, 302
 rubiginosa, 302
 Desiflori, 7
 Dentati, 8
 Desmodium, 368
 axillare, 368
 cajanifolium, 368
 frutescens, 368
 Gentryi, 262
 lavanduliflorum, 262
 luteolum, 368
 quercetorum, 263
 Dialium, 369
 guianense, 264, 369
 Dichaea, 325
 muricata, 325
 trichocarpa, 325
 Dichapetalaceae, 196, 373
 Dichapetalum, 373
 chiapasense, 196
 Donnell-Smithii, 197, 373
 Dicksoniaceae, 300
 Dicranopteris, 299
 pectinata, 299
 Didymochlaena, 202
 truncatula, 302
 Didymopanax Morototoni, 267

 Diodia, 396
 brasiliensis var. *angulata*, 396
 Diplazium, 302
 Donnell-Smithii, 302
 Distylium, 364
 guatemalense, 364
 Dorstenia, 359
 Contrajerva, 359
 Drymaria, 362
 villosa, 362
 Dryopteris, 302
 denticulata, 302
 effusa var. *divergens*, 302
 Hemsleyana, 302
 interjecta, 302
 Linkiana, 302
 melanochlaena, 302
 nicaraguensis, 302
 normalis, 302
 oligocarpa, 302
 patula, 302
 paucijuga, 302, 304
 pseudosancta, 302
 resiliens, 302
 resinifera, 304
 subincisa, 304
 Drypetes amazonica, 420
 Forbesii, 560
 keyensis, 420
 Phyllanthoides, 562
 variabilis, 420
 Dubautia laxa var. *pedicellata*, 611
 laxa var. *Skottsbergii*, 611
 Dyschoriste, 394
 oaxacensis, 394
 Dyssodia puberula, 284

 Echeandia parviflora, 229
 Echinodorus, 311
 tenellus, 311
 Eichhornia, 323
 azurea, 323
 Elaphoglossum, 304
 rampans, 304
 rubescens, 304
 scolopendrifolium, 304
 tectum, 304
 Eleocharis, 314
 flaccida, 314
 geniculata, 314
 mutata, 314
 nodulosa, 314
 sulcata, 314
 Eleusine, 312
 indica, 312
 Entodontaceae, 297
 Epidendrum, 325
 Brassavolae, 325
 centropetalum, 325
 Chloe, 325
 cobanense, 325
 cochleatum, 325
 difforme, 325

- Epidendrum Lindleyanum*, 325
 luteoroseum, 325
 ochraceum, 325
 polyanthum, 325
 polyanthum var. *myodes*, 325
 polybulbon, 325
 pygmaeum, 325
 radicans, 326
 ramosum var. *mixtum*, 326
 rhyngophorum, 326
 teretifolium, 326
 Tuerckheimii, 326
 virgatum, 326
Epiphyllum, 379
 caudatum, 379
 strictum, 379
Ericaceae, 385
Erigeron, 401
 jamaicensis, 401
 spathulatus, 401
Eriochrysis, 312
 cayennensis, 312
Eriosema, 369
 diffusum, 369
Eryngium, 384
 caricinum, 384
Erythrina, 369
 rubrinervia, 369
Erythrodos, 326
 Tuerckheimii, 326
Escobedia, 392
 laevis, 392
Espuela de caballero, 245
Eugenia, 380
 apodantha, 380
 axillaris, 380
 Banghamii, 381
 Doubledayi, 380
 hiraefolia, 202
 nesiotica, 203
 vincentina, 380
 Yunckeri, 380
Eupatorium, 401
 ivaefolium, 401
 ligustrinum, 401
 macrocephalum, 401
 morifolium, 401
Euphorbia, 374
 Celastroides var. *moomomiana*, 477
 graminea, 374
 multiformis var. *microphylla*, 376
 multiformis var. *mohihiensis*, 576
Euphorbiaceae, 197, 265, 373
Eurya, 377
 guatemalensis, 377

Fabronia, 297
 flavinervis, 297
Fabroniaceae, 297
Fagaceae, 356
Ficus, 359
 andicola, 167
 Archeri, 167
 costaricana, 359
 Eliadis, 168
 frondosa, 169
 Gameleira, 169
 glabrata, 359
 Gleasonii, 170
 Haughtii, 170
 involuta, 359
 juruensis, 179
 Krukovii, 171
 Lawrancei, 172
 malacocarpa, 172
 Mexiae, 173
 mima, 173
 padifolia, 359
 panurensis, 174
 popayanensis, 174
 radula, 359
 ramiflora, 175
 regularis, 175
 sphenophylla, 176
 Sprucei, 176
 tolimensis, 177
 uberrima, 177
 Urbaniana, 170
 ursina, 178
 velutina, 359
Fimbristylis, 314
 diphylla, 314
Fissidens, 296
 reclinatus, 296
Fissidentaceae, 296
Flacourtiaceae, 200, 378
Forestiera neomexicana, 206
 neomexicana var. *arizonica*, 206
 Shrevii, 205
Fraxinus, 386
 hondurensis, 386
Fuirena, 315
 simplex, 315
Funaria, 296
 calvescens, 296
Funariaceae, 296

Galeana, 401
 pratensis, 401
Gameleira, 170
Gaura Gentryi, 203
 grandiflora, 204
 mutabilis, 204
Geniostoma Cyrtandrae, 506
 Remyana, 497
Geniostomoideae, 457
Geniostomoides, 457
Genipa americana, 214
 vulcanicola, 213
Gentianaceae, 387
Gesneriaceae, 210, 393
Gilibertia, 383
 leptopoda, 383
Gleicheniaceae, 299
Gliricidia, 369
 meistophylla, 369

- Globulina, 296
 globulifera, 296
 Gongora, 326
 cassidea, 326
Gonolobus chihuahuensis, 270
 Gonzalagunia, 396
 panamensis, 396
 Govenia, 326
 Powellii, 326
 Gramineae, 312
 Grindelia, 423
 aggregata, 427
 aphanactis, 428, 438, 441
 arenicola, 424, 425, 438
 arenicola var. pachyphylla, 425, 426, 431
 arizonica, 427, 428, 431, 432, 438, 441
 arizonica var. stenophylla, 427
 Blakei, 424, 426, 427, 428, 429, 434, 438, 441
 buphthalmoides, 436
 camporum, 424, 427, 428, 429, 430, 436, 437, 438, 441
 chiloensis, 425, 427
 columbiana, 428, 441
 confusa, 442
 decumbens, 428
 decumbens var. subincisa, 438
 discoidea, 428
 fastigiata, 427, 428, 429, 431
 globularifolia, 425, 427
 glutinosa, 436, 439
 grandiflora, 425, 431, 435, 438, 441
 Greenei, 439
 Greenmanii, 427, 429, 439, 442
 Hallii, 428
 Havardii, 438, 441
 hirsutula, 432, 441
 hirsutula var. brevisquama, 427, 429, 431, 432
 hirsutula f. patens, 429
 hirsutula f. tomentulosa, 432
 humilis, 424, 425, 426, 427, 431, 435, 441
 inornata, 427, 428, 441
 integrifolia, 425, 426, 427, 429, 431, 438, 439
 integrifolia var. virgata, 438, 439
 inuloides, 426, 427, 439, 440, 442
 inuloides var. adenodonta, 438
 inuloides var. glandulosa, 425, 426, 427, 432, 439
 laciniata, 428, 442
 lanceolata, 423, 427, 428, 431, 432, 434, 437, 438, 439, 441
 littoralis, 438, 441
 maritima, 434, 436, 438, 441
 microcephala, 438, 439, 440
 microcephala var. adenodonta, 425, 427, 437, 440, 441, 442
 microcephala var. pusilla, 424
 nana, 426, 427, 429, 431, 435, 436, 437, 441
 nana var. integerrima, 428, 431
 nana var. turbinella, 427, 428
 Nelsonii, 434, 439
 oolepis, 423, 427, 428, 429, 431, 434, 438, 439
 oxylepis, 439, 440, 441
 oxylepis f. capitellata, 428
 oxylepis var. eligulata, 428
 Palmeri, 429, 439, 442
 perennis, 426, 429, 431, 435, 441
 procera, 424, 427, 436, 441
 revoluta, 431
 Robinsonii, 428, 434, 439, 442
 rubricaulis, 432
 rubricaulis var. bracteosa, 428
 rubricaulis var. elata, 438
 rubricaulis var. latifolia, 426, 437, 438
 rubricaulis var. robusta, 426, 427, 428, 436, 438, 441
 scabra, 432, 439
 scabra var. neomexicana, 429, 436, 438, 439
 squarrosa, 423, 426, 427, 428, 429, 431, 432, 434, 435, 436, 440, 441
 squarrosa f. depressa, 424
 squarrosa var. nuda, 425, 426, 427, 428
 squarrosa var. serrulata, 426
 stricta, 425, 426, 429, 432, 435
 stricta var. Hendersoni, 424, 432
 stricta var. lanata, 432
 stricta var. macrophylla, 426, 427, 429, 431, 434
 stricta var. procumbens, 425, 426
 subalpina, 426, 429, 437, 439, 441
 subalpina var. erecta, 428, 437, 439, 441
 subdecurrens, 439, 440, 442
 sublanuginosa, 440, 441
 tenella, 428, 434, 439, 441
 texana, 425, 427, 436, 438, 439, 440
 Gronovia scandens, 201
 Guapaqui, 264
 Guatteria, 363
 grandiflora, 363
 Guazuma ulmifolia, 201
 Guettarda boliviana, 275
 Duckei, 275
 Gutierrezia, 423
 Guttiferae, 377

 Habenaria, 326
 clypeata, 326
 crassicornis, 326
 novemfida, 326
 setifera, 326
 Halogeton sativus, 240
 Hamamelidaceae, 192, 364
 Hamamelis macrophylla, 193
 mexicana, 192
 vernalis, 193
 virginiana, 193

- Hamelia, 396
 patens, 396
 Hasseltia guatemalensis, 200
 Haya Barcena, 204
 Lundellii, 204
 Hecistopteris, 304
 pumila, 304
 Hedychium, 324
 coronarum, 324
 Hedyosmum, 356
 Artocarpus, 356
 Heliconia, 324
 librata, 324
 pendula, 324
 Heliotropium, 389
 angiospermum, 389
 indicum, 389
 Hemionitis, 304
 pinnatifida, 304
 Hemitelia, 300
 costaricensis, 300
 Heteranthera, 323
 limosa, 323
 reniformis, 323
 Hieracium, 401
 hondurensis, 401
 Hierba de leche, 266
 Higo del monte, 159
 Hippotis albiflora, 214
 mollis, 214
Hirtella americana var. *oblongifolia*, 252
 Duckei, 251
 egensis, 251
 oblongifolia, 252
 physophora, 252
 purusana, 252
 racemosa var. *oblongifolia*, 252
 rasa, 252
 scabra, 253
 Sprucei, 253
 Hoffmannia, 396
 angustifolia, 396
 gesnerioides, 396
 Lawrancei, 275
 macrosiphon, 276
 nebulosa, 396
 riparia, 214
 Hybanthus, 378
 oppositifolius, 378
 Hydrocotyle, 384
 umbellata, 384
 Hydrolapatha, 8
 Hymenocallis sonorensis, 229
 Hymenophyllaceae, 299
 Hymenophyllum, 299
 asplenoides, 299
 fucoides, 299
 polyanthos, 300
 Hymenosepali, 7
 Hypericum, 377
 uliginosum, 377
 Hypnaceae, 298
 Hyptis, 390
 asperifolia, 390
 Ilex, 374
 hondurensis, 374
 Rimbachii, 198
 tolucana, 375
 Ilysanthes, 392
 inaequalis, 392
 Indigofera, 369
 suffruticosa, 369
 Inga, 369
 cobanensis, 369
 Ionopsis, 326
 utricularioides, 326
 Ipomoea, 389
 cathartica, 389
 Chilopsidis, 206
 digitata, 389
 muricata, 389
 silvicola, 389
 Iresine Cardenasii, 241
 Iridaceae, 229, 324
 Isochilus, 326
 linearis, 326
 Isopterygium, 298
 tenerum, 298
 Ixora faroensis, 277
 Martinsii, 277
 Jacquemontia luxurians, 206
 Jarilla Chocola, 200
 Jatropha, 374
 Curcas, 374
 João Mole, 189
 Jussiaea, 383
 linifolia, 383
 peruviana, 383
 repens, 383
 suffruticosa, 383
 Kapiáh, 201, 202
 Krameriaceae, 365
 Krameria cuspidata, 365
 Kumaka-balli, 170, 173
 Labiatae, 208, 272, 390
Labordeae verae, 456
 Labordia, 455
 Baillonii, 510
 Cyrtrandrae, 506
 Cyrtrandrae var. β nahikuana, 509
 decurrens, 542
 Degeneri, 513
 Degeneri var. β subcarinata, 514
 Echitis, 510
 Fagraeoidea, 472, 491, 497
 Fagraeoidea var. γ conferta, 476
 Fagraeoidea var. κ Hillebrandii, 484
 Fagraeoidea var. κ Hillebrandii f. l.
 subcalva, 485
 Fagraeoidea var. β Humei, 474
 Fagraeoidea var. β Humei f. l.
 paniculata, 476

- Labordia Fagraeoides* var. δ *jugorum*, 477
Fagraeoides var. θ *longisepala*, 483
Fagraeoides var. *pumila*, 489
Fagraeoides var. η *Saint-Johniana*, 483
Fagraeoides var. ι *septentrionalis*, 484
Fagraeoides var. ϵ *sessilis*, 478
Fagraeoides var. ϵ *sessilis* f. l. *glabrescens*, 481
Fagraeoides var. λ *simulans*, 486
Fagraeoides var. ζ *waianaeana*, 482
Fauriei, 542
glabra, 504
glabra var. γ *latisepala*, 506
glabra var. β *orientalis*, 505
Grayana, 491, 497, 498
Grayana var. *centralis*, 494
Hedyosmifolia, 491
Hedyosmifolia var. β *centralis*, 494
Hedyosmifolia var. ϵ *Grayana*, 497
Hedyosmifolia var. ι *Hosakana*, 500
Hedyosmifolia var. η *kilaueana*, 499
Hedyosmifolia var. θ *magnifolia*, 499
Hedyosmifolia var. δ *robusta*, 496
Hedyosmifolia var. γ *Rockii*, 496
Hedyosmifolia var. ζ *Skottsbergii*, 498
Helleri, 526
Helleri var. β *macrocarpa*, 527
hirtella, 516
hirtella var. ϵ *haleakalana*, 520
hirtella var. ζ *hispidior*, 521
hirtella var. θ *imbricata*, 521
hirtella var. η *laevis*, 521
hirtella var. ι *laevisepala*, 522
hirtella var. δ *microcalyx*, 519
hirtella var. β *microphylla*, 518
hirtella var. γ *sororia*, 519
hypoleuca, 506
kaalae, 538
kaalae var. γ *brachypoda*, 540
kaalae var. β *Fosbergii*, 539
kaalae var. ϵ *kauaiensis*, 541
kaalae var. δ *mendax*, 541
lophocarpa, 466, 467
lophocarpa var. *phyllocalyx*, 468
lophocarpa var. *pluriflora*, 464
Lydgatei, 525
mauiensis, 504
membranacea, 511, 515
membranacea var. β *exigua*, 512
molokaiana, 464
molokaiana var. η *Bryanii*, 471
molokaiana var. ϵ *congesta*, 470
molokaiana var. β *lophocarpa*, 466
molokaiana var. γ *Munroi*, 467
molokaiana var. δ *phyllocalyx*, 468
molokaiana var. ζ *setosa*, 470
olympiana, 515
pallida, 486
pallida f. *alpina*, 489
pallida var. β *hispidula*, 488
pedunculata, 488
pumila, 489
Remyana, 497
sessilis, 478
Tinifolia, 526, 529
Tinifolia var. ζ *Euphorbioidea*, 536
Tinifolia var. η *Forbesii*, 536
Tinifolia var. κ *honolulensis*, 538
Tinifolia var. ϵ *lanaiensis*, 535
Tinifolia var. γ *leptantha*, 533
Tinifolia var. θ *microgyna*, 537
Tinifolia var. β *parvifolia*, 532
Tinifolia var. ι *tenuifolia*, 537
Tinifolia var. δ *waialuana*, 534
triflora, 538
venosa, 502
waialealae, 522
waiolanii, 468
Wawrana, 503
Lagenaria, 399
siceraria, 399
Lantana, 389
Camara, 389
involuta, 389
Lapathum, 6
Lasiacis, 312
divaricata, 312
procerrima, 312
Lauraceae, 247, 363
Leersia, 312
hexandra, 312
Leguminosae, 195, 261, 365
Leiphaimos, 387
parasiticus, 387
Lentibulariaceae, 392
Lepanthes, 327
acuminata, 327
Dawsonii, 327
eximia, 328
Yunckeri, 327
Lepanthopsis, 328
floripecten, 328
Lepidium macrum, 248
Leucobryaceae, 296
Liatris, 423
Licania anisophylla, 253
aspera, 254
Britteniana, 257
celativenia, 254
Dahlgrenii, 255
elliptica, 255
emarginata, 259
Hookeri, 258
intrapetiolaris, 257
Krukovii, 256
latifolia, 257
macrophylla, 257
micrantha, 254
oblongifolia, 257
obovata, 257
pallida, 257
riparia, 258
stenocarpa, 258
Lichenes, 294

- Liliaceae, 228, 323
 Limnanthemum, 387
 Humboldtianum, 387
 Lindsaya, 305
 quadrangularis, 305
 Lipocarpha, 315
 maculata, 315
 Lipochaeta dubia, 580
 lavarum, 581
 lavarum var. conferta, 582
 lavarum var. lanaiensis, 582
 lavarum var. maneleana, 583
 lavarum var. Stearnsii, 581
 Lippia, 390
 barbata, 208
 dulcis, 390
 Gentryi, 207
 Kellermanii, 390
 Liquidambar, 364
 Styraciflua, 364
 Litsea, 363
 glaucescens, 363
 Tharpiana, 247
 Lobaria, 294
 conformis, 294
 Lobelia, 399
 splendens, 399
 Lobeliaceae, 399
 Loganiaceae, 386
 Lonchocarpus Lindsayi, 195
 Lorantheaceae, 236, 360
 Lycianthes, 390
 sideroxyloides, 390
 Lycopodiaceae, 310
 Lycopodium, 310
 arcanum, 310
 cernuum, 311
 reflexum, 311
 stamineum, 311
 Tuerckheimii, 311
 Lygodium, 299
 polymorphum, 299
 Lythraceae, 379

 Mabea caudata, 419
 elata, 418
 fistuligera, 417
 Klugii, 416
 parvifolia, 419
 Piriri, 417, 419
 Piririoides, 419
 pulcherrima, 419
 speciosa, 418, 419
 Standleyi, 417
 subserrulata, 419
 Taquari, 417
 Trianae, 417
 Macrocnemum cuencanum, 215
 vestitum, 215
 Macromitrium, 296
 longifolium, 296
 mucronifolium, 296
 Podocarp, 296
 Sumichrasti, 296
 Mahoy pfwala, 272
 Malaxis, 328
 aurea, 328
 Maxonii, 328
 Parthonii, 328
 Malpighia, 373
 glabra, 373
 Malpighiaceae, 372
 Malvaceae, 198, 376
 Malvaviscus, 376
 arboreus, 376
 Mandevilla, 387
 tubiflora, 387
 Manettia capitata, 216
 cephalophora, 216
 Miersiana, 216
 Manihot isoloba, 197
 Mano de danto, 267
 Mapaty, 181, 184
 Marantaceae, 324
 Marattia, 299
 excavata, 299
 Marattiaceae, 299
 Marcgravia, 377
 rectiflora, 377
 Marcgraviaceae, 377
 Maritimi, 8
 Marsilea, 310
 Marsiliaceae, 310
 Matapalo, 161, 168, 237
 Matapau, 173
 Maxillaria, 328
 uncata, 328
 variabilis, 328
 Maxonia, 305
 apiifolia var. dualis, 305
 Melampodium, 401
 brachyglossum, 401
 Melastomaceae, 381
 Melia, 372
 Azedarach, 372
 Meliaceae, 372
 Mendoncia albida, 421
 hirsuta, 421
 Killippii, 421
 Mello-Barretoana, 421
 puberula, 421
 Menispermaceae, 362
 Menyanthaceae, 387
 Merinthopodium, 391
 neuranthum, 391
 Metastelma, 387
 pedunculare, 387
 Meteoriaceae, 297
 Miconia, 383
 albicans, 383
 globulifera, 383
 humilis, 383
 longifolia, 383
 Schlechtendalii, 383
 Micromitrium, 296
 fragile, 296

- Mikania, 401
 Tonduzii, 401
 Millea, 199
 ecuatoriensis, 199
 Mimosa, 369
 albida, 369
 pigra, 369
 pudica, 369
 Mirabilis, 361
 Jalapa, 361
 longipes, 242
 Muelleri, 241
 Mittenothamnium, 298
 diminutivum, 298
 Lehmanii, 298
 Monarda Bartlettii, 208
 Eplingiana, 208
 Pringlei, 208, 209
 Monimiaceae, 363
 Monotropia, 384
 coccinea, 384
 Monstera, 318
 pertusa, 318
 Moquilea elata, 257, 258
 pallida, 258
 riparia, 258
 Moraceae, 156, 235, 359
 Morinda panamensis, 278
 Mortoniodendron, 411
 anisophyllum, 411
 Morus, 359
 multicaulis, 359
 Muhlenbeckia chilensis, 31
 Muiratinga, 157, 187
 Murure, 158, 187
 Musaceae, 324
 Musci, 296
 Myrica, 356
 mexicana, 356
 Myricaceae, 356
 Myriocarpa, 360
 yzabalensis, 360
 Myrsinaceae, 385
 Myrtaceae, 202, 379
 Nectandra, 363
 sanguinea, 363
 surinamensis, 363
 Neea aeruginosa, 187
 Krukovii, 188
 madeirana, 189
 Mexiae, 187
 Neowawraea, 562
 Phyllanthoides, 562
 Nephrolepis, 305
 cordifolia, 305
 pendula, 305
 Nisperillo, 171
 Notylia, 328
 trispala, 328
 Nyctaginaceae, 187, 241, 361
 Obtusifolii, 8
 Ochnaceae, 377
 Ochroma concolor, 266
 Octoblepharum, 296
 albidum, 296
 Odontosoria, 305
 Schlechtendalii, 305
 Ojoche blanco, 235
 de hoja menuda, 235
 Ojochillo, 235
 Oleaceae, 205, 386
 Olmedia boyacana, 179
 tovarensis, 179
 Olmediella, 378
 Betschleriana, 378
 Onagraceae, 203, 383
 Oncidium, 329
 carthaginense, 329
 graminifolium, 329
 leucochilum, 329
 Ophioglossaceae, 299
 Ophioglossum, 299
 crotalophoroides, 299
 reticulatum, 299
 Orchidaceae, 324
 Oreopanax, 384
 artocarpoides, 205
 Liebmannii, 384
 peltatum, 384
 Salvinii, 384
 xalapense, 384
 Ormosia isthmensis, 264
 Orthopappus, 401
 angustifolius, 401
 Orthotrichaceae, 296
 Osmunda, 299
 cinnamomea, 299
 regalis, 299
 Osmundaceae, 299
 Ostrya, 356
 virginiana var. guatemalensis, 356
 Oxalidaceae, 371
 Oxalis, 371
 latifolia, 371
 Neaei, 371
 Pagamea capitata, 279
 coriacea, 279
 Duckei, 278
 guianensis, 279
 guianensis var. pilosa, 279
 guianensis var. typica, 279
 hirsuta, 279
 plicata, 278
 thyrsiflora, 280
 Pajurá, 258
 Pajurá-rana, 354
 Palicourea, 397
 affinis, 216
 Galeottiana, 397
 roraimae, 280
 verrucosa, 217
 Palmae, 316
 Panicum, 313

- Panicum arenicoloides*, 313
 laxum, 313
 maximum, 313
 sphaerocarpon, 313
Pannaria, 294
 lurida, 294
Pannariaceae, 294
Papillaria, 297
 nigrescens, 297
Paqui, 264
Parathesis, 385
 Donnell-Smithii, 385
Parinarium pilosum, 259
Parkinsonia, 369
 aculeata, 369
Parmelia, 295
 americana, 295
 capitata, 295
 cristifera, 295
 latissima, 295
 pseudoflavescens, 295
 subrugata, 295
 tinctorum, 295
Parmeliaceae, 295
Parosela, 370
 scoparia f. *Arsenei*, 195
 sericea, 370
Paspalum, 313
 notatum, 313
 plenum, 313
 virgatum, 313
Passiflora, 378
 ciliata, 378
 foetida var. *gossypiifolia*, 378
Passifloraceae, 378
Pata de gallo, 197
Patientiae, 7
Pectis, 401
Pelexia, 329
 hondurensis, 329
Peltigera, 294
 polydactyla, 294
Peltigeraceae, 294
Pennisetum, 313
 setosum, 313
Pentagonia grandiflora, 217
Pentarrhaphis, 313
 scabra, 313
Pentstemon Gentryi, 209
Peperomia, 330
 agravescens, 330
 amnicola, 330
 argumentosa, 331
 caducipilosa, 331
 chicbulana, 230
 chucanebana, 331
 circulifolia, 331
 circulifolia var. *eciliata*, 332
 circulifolia var. *flava*, 331
 collocata, 332
 condormiens, 332
 conocarpa, 332
 Dawsoni, 333
 defluens, 333
 eripipunctulata, 333
 filici-decorans, 333
 flagitans, 334
 inaudax, 334
 lancetillana, 334
 lancetillana var. *spathifolia*, 335
 laudabilis, 335
 longiacuminata, 335
 mala, 335
 mollipubis, 335
 montis-verticis, 336
 nebuligaudens, 336
 novae-hispaniae, 336
 novella, 336
 opaca var. *ciliata*, 336
 perplexa, 337
 petenensis, 230
 petenensis var. *hondurensis*, 337
 praeteruentifolia, 337
 rhodophlebia, 337
 rinconensis, 337
 rotundifolia, 338
 rubefacta, 338
 suavis var. *hondurensis*, 338
 subgeminispica, 338
 tressis, 339
 Trumani, 339
 yojoana, 339
 Yousei, 339
 Yunckeri, 340
Perebea concinna, 179
 xinguana, 180
Perezia, 401
 nudicaulis, 401
Pharus, 313
 latifolius, 313
Phaseolus, 370
 anisotrichus, 370
Philonotis, 296
 tenella, 296
Phoebe, 363
 helicterifolia, 363
 mexicana, 363
Phoradendron, 360
 aurantiacum, 236
 commutatum, 360
 franciscanum, 236
 libertadanum, 236
 petenense, 237
 piperoides, 360
 yojoanum, 360
 Yunckeri, 360
Photinia, 364
 microcarpa, 364
Phyllanthus distichus, 563
 lathyroides, 266
 nivosus, 568
 Purpusii, 197
 sandwicensis, 563
 sandwicensis var. *Degeneri*, 567
 sandwicensis var. *Degeneri* f. *rufidus*, 568

- Phyllanthus sandwicensis* var. *ellipticus*, 565
sandwicensis f. *grandifolia*, 563
sandwicensis var. *hypoglaucus*, 568
sandwicensis var. *oblongifolius*, 563
sandwicensis f. *parvifolius*, 565
 Williamsii, 266
Phyllostegia mollis var. *Lydgatei*, 578
mollis var. *Skottsbergii*, 577
Physalis, 391
 caudella, 273
 eximia, 273
 ingrata, 391
Physcia, 295
 segilata, 295
 syncolla, 295
 Physciaceae, 295
Phytolacca, 361
 Meziana, 361
 rivinoides, 361
 Phytolaccaceae, 361
Picramnia, 372
 andicola, 372
 locuples, 372
Pié de gallo, 267
 Pinaceae, 311
Pinus, 311
 oocarpa, 311
 pseudostrobus, 311
Piper, 340
 actae, 340
 adornatispicum, 340
 aduncum, 347
 allatum, 341
 andresense, 230
 andresense var. *subcalvescens*, 231
 angustifolium, 347
 apertum, 341
 apertum var. *nodosum*, 341
 arenicola, 341
 auritum var. *amplifolium*, 342
 auritum f. *rinconense*, 342
 calvescens, 342
 calvescens var. *pedunculatum*, 342
 calvescens var. *portrerillosense*, 343
 colaphitolerans, 231
 comayaguanum, 343
 cristicola, 343
 curvatipes, 231
 Dawsoni, 343
 Deamii, 344
 Deamii var. *yojoanum*, 344
 deltoidocarpum, 344
 discolor, 231
 elongatum, 347
 emancipationis, 231
 emancipationis var. *longum*, 232
 epilosipes, 344
 epilosipes var. *heterophyllum*, 345
 exigens, 345
 exigens var. *subovatum*, 345
 faviculiferum, 345
 firmifolium, 346
 fragranum var. *viride*, 346
 inconsumptum, 346
 instabilipes, 232
 laceratibracteum, 346
 laedans, 347
 Lundellianum, 232
 monteluctans, 347
 multinervium, 347
 multinervium var. *amplum*, 347
 multinervium var. *cayoense*, 347
 multinervium var. *flavicans*, 348
 multinervium var. *hirsuticaule*, 348
 multinervium var. *kantelolense*, 348
 multinervium var. *paralense*, 348
 multinervium var. *peracutum*, 349
 multinervium var. *productipes*, 349
 multinervium var. *protractifolium*, 349
 multinervium var. *puberulipedunculum*, 347
 multinervium var. *pubescenticaule*, 350
 multinervium var. *Skutchii*, 350
 multinervium var. *tamashense*, 350
 multinervium var. *telanum*, 350
 mystaciferum, 350
 nitidulilaminum, 232
 nubigaudens, 351
 ornatispicum, 351
 paludicola, 351
 petens, 352
 pictamentum, 352
 pictamentum var. *fluminis*, 352
 plumbeicolor, 233
 praemollitum, 352
 quadratilimum, 233
 rematense, 233
 rinconense, 353
 roseovenulosum, 353
 scabriseptum var. *reductum*, 353
 scalarispicum, 353
 siguatepequense, 354
 siguatepequense var. *subrhombifolium*, 354
 simulhabitans, 233
 tenuiculispicum, 354
 tesseraespicum, 354
 tikalense, 234
 viae-marginis, 355
 xanthocladum, 347
 yalochanum, 234
 yaxhanum, 234
 Yousei, 355
 Yunckeri, 355
 Yunckeri var. *latum*, 355
 Piperaceae, 230, 330
Piratinera panamensis, 235
Piscidia, 370
 grandifolia, 370
Pitcairnia, 318
Pithecolobium, 370
 arbozeum, 370
Pityrogramma, 305

- Pityrogramma calomelaena*, 305
Schaffneri, 305
tartarea, 305
 Plantaginaceae, 394
Plantago, 394
 Galeottiana, 394
Pleurothallis, 329
 Carioi, 329
 fuegii, 329
 hirsuta, 329
 Johnsonii, 329
 pansamalaе, 329
Plocaniophyllon flavum, 217
Plukenetia angustifolia, 265
Pogonopus speciosus, 218
Polopolo, 200
Polygala, 373
 glochidiata, 373
 incarnata, 373
 longicaulis, 373
 Polygalaceae, 373
 Polygonaceae, 239, 361
Polygonum, 361
 amphibium, 68
 hispidum, 361
 punctatum, 361
Polymnia, 401
 maculata, 401
 oaxacana, 401
 Polypodiaceae, 301
Polypodium, 305
 angustifolium, 305
 angustum, 305
 apiculatum, 305
 asprenifolium, 305
 astrolepis, 305
 carpinterae, 305
 crassifolium, 306
 cryptocarpon, 306
 cultratum, 306
 delitescens, 306
 dissimile, 306
 fraternum, 306
 induens, 306
 leucosticton, 307
 Lindenianum, 306
 loriceum, 306
 montigenum, 306
 plebeium, 307
 plumula, 308
 polypodioides, 308
 rhodopleuron, 308
 trichomanoides, 308
 triseriale, 308
Polystachya, 329
 luteola, 329
 minor, 329
Polystichum, 308
 platyphyllum, 308
 Polytrichaceae, 298
 Pontederiaceae, 323
Pooczuyaax, 232
Potentilla exsul, 259
 leonina, 260
 Mexiae, 260, 261
 Pottiaceae, 296
Pourouma elliptica, 181
 ferruginea, 181
 isophlebia, 182, 186
 Lawrancei, 183
 longipendula, 185
 Mildbraediana, 183
 populifolia, 184
 subplicata, 184
 umbellata, 185
Priva aspera, 201
Prunus Capuli, 194
 Gentryi, 194
 novoleontis, 194
 rhamnoides, 195
 virens, 194
Pseudolmedia Krukovii, 186
 Murure, 186
Psidium, 381
 Guajava, 381
 molle, 381
 Oerstedeanum, 381
Psychotria, 397
 chaponiana, 280
 crebrinervia, 397
 erythrocarpa, 397
 involucrata, 397
 Krukovii, 218
 Lawrancei, 281
 limonensis var. *angustifolia*, 282
 microdon, 397
 patens, 397
 paulina, 219
 Recordiana, 282
 Skutchii, 283
 trichotoma, 397
 uliginosa, 397
 verrucosa, 217
 Yunckeri, 397
Pteridium, 308
 aquilinum var. *Feei*, 308
 aquilinum var. *lanuginosum*, 309
Pteris, 309
 Feei, 308
 orizabae, 309
 propinqua, 309
 quadriaurita, 309
 Pyrolaceae, 384
Quercus, 356
 achoteana, 356
 achoteana var. *sublanosa*, 356
 amissaeloba, 357
 Dawsoni, 357
 perseaeifolia var. *anchoteana*, 357
 pertessellata, 357
 tenuiaristata, 358
 trichodonta, 358
 Yousei, 358
 Yunckeri, 358

- Rabdolia*, 456
Ramalina, 295
 alludens, 295
 attenuata, 295
 yemensis, 295
Randia, 398
 aculeata, 398
 mollifolia, 219
 Watsoni, 219
Ranunculaceae, 244, 362
Ranunculus centellifolius, 245
 palmifolius, 246
 pentodontus, 247
Rauia, 297
 subcatenulata, 297
Reichenbachia hirsuta, 190
 colombiana, 189
Renealmia, 324
 aromatica, 324
Restrepia, 329
 xanthophthalma, 329
Retiniphyllum cearense, 220
 erythranthum, 220
Rhacoma, 375
 eucymosa, 375
Rhacopilaceae, 297
Rhacopilum, 297
 tomentosum, 297
Rhaphidorrhynchium, 297
 Lindigii, 297
Rhipidopteris, 309
 peltata, 309
Rhipsalis, 379
 Cassutha, 379
Rhizogoniaceae, 297
Rhizogonium, 297
 spiniforme, 297
Rhus, 374
 terebinthifolia, 374
Rhynchosia, 370
 pinetorum, 370
 rariflora, 264
Richeria grandis, 420
 laurifolia, 420
 obovata, 420
 racemosa, 420
 submembranacea, 419
Rivina humilis, 201
Roble blanco, 267
Rondeletia, 398
 amoena, 398
 buddleoides, 398
 nebulosa, 398
 strigosa, 398
Rosaceae, 194, 248, 364
Rottboellia, 313
 aurita var. *stigmosa*, 313
Rubiaceae, 211, 274, 394
Rubus, 365
 adenotrichos, 365
 miser, 365
Rudgea Garciana, 220
 Krukovii, 221
 palmarum, 221
 paniculata, 221
 singularis, 222
Rumex Acetosa, 22
 Acetosa var. *auriculatus*, 23
 Acetosella, 18
 Acetosella subsp. *angiocarpus*, 19
 Acetosella f. *integrifolius*, 22
 Acetosella × *salicifolius*, 60
 acutus, 124
 adscendens, 149
 alpinus, 95, 99
 altissimus, 44
 altissimus var. *abortivus*, 49
 americanus, 150
 angustatus, 150
 angustifolius, 30
 angustissimus, 22
 aquaticus, 102
 arcticus, 107
 arizonicus, 90
 Bakeri, 93, 102
 balcanicus, 95
 Berlandieri, 52, 132
 Brittanica, 45, 123
 Brittanica aquaticus, 124
 Brittanica var. *borealis*, 127
 Brittanica β *polygonifolius*, 45
 Brittanica × *crispus*, 147
 bucephalophorus, 147
 californicus, 85
 chrysocarpus, 55
 Claytoni, 150
 confinis, 112
 conglomeratus, 121
 crassus, 79
 crispatulus, 127
 crispo-obtusifolius, 148
 crispus, 116
 crispus × *obtusifolius*, 148
 crispus × *pulcher*, 149
 crispus × *salicifolius*, 60
 cuneifolius, 88
 densiflorus, 92
 dentatus subsp. *Klotzschianus*, 131
 dissimilis, 147
 domesticus, 100, 102
 domesticus β *nanus*, 108
 dumosus × *salicifolius*, 149
 dumosus × *triangulivalis*, 149
 ellipticus, 49
 elongatus, 102
 Engelmannii, 30
 Engelmannii β *Geyeri*, 24
 fascicularis, 42
 fenestratus, 110
 fenestratus var. *labradoricus*, 115
 fenestratus var. *procerus*, 114
 flexicaulis, 134
 floridanus, 39, 54
 fueginus, 136
 fueginus var. *athrix*, 143
 fueginus var. *brachythrix*, 143

- Rumex fueginus* var. *ovato-cordatus*,
 143
fueginus var. *tanythrix*, 143
fueginus var. *typicus*, 143
Geyeri, 24
Goethartii, 150
gracilipes, 102
graminifolius, 21, 22
hastatulus, 28
hastulatus, 31
hesperius, 64
heterophyllus, 150
hydrolapathum var. *americanus*, 124
hymenosepalus, 89
hymenosepalus var. *eu-hymenosepalus*, 92
hymenosepalus var. *salinus*, 92
integrifolius, 150
Kunthianus, 150
Kunthii, 150
lacustris, 65
lacustris f. *aquaticus*, 65
lacustris f. *terrestris*, 66
Langloisii, 54
longifolius, 102, 150
longifolius β *nanus*, 108
ludovicianus, 150
macranthus, 35
maritimus, 137, 147
maritimus var. *fueginus*, 137
mexicanus, 55, 60, 78
mexicanus var. *strictus*, 65
obtusifolius, 127
occidentalis, 100, 102, 112
occidentalis var. *nanus*, 108
orbicularis, 124
orthoneurus, 96
pallidus, 71
paraguayensis \times *salicifolius*, 150
paraguayensis \times *triangulivalvis*, 149
Patientia, 115
Patientia subsp. *eu-Patientia*, 115
Patientia subsp. *orientalis*, 115
paucifolius, 23
paucifolius var. *gracilescens*, 27
persicarioides, 137, 144
polygamus, 150
polyrhizus, 102
praecox, 99
procerus, 114
pulcher, 129
pulcher subsp. *anodontus*, 131
pulcher subsp. *divaricatus*, 130
pulcher subsp. *eu-pulcher*, 130
pycnanthus, 95
Romassa, 54
Rugelii, 128
salicifolius, 60, 70, 76, 80, 82, 86
salicifolius var. *angustifolius*, 76
salicifolius subsp. *angustivalvis* var. *uni-granis*, 84
salicifolius var. *denticulatus*, 86
salicifolius var. *montigenitus*, 79, 88
salicifolius subsp. *triangulivalvis*, 60
salinus, 92
sanguineus, 123, 124
Saxei, 90
Schultzii, 150
sibiricus, 74
spiralis, 43
subalpinus, 96
sylvaticus, 150
thyrsiflorus, 23
transitorius, 68
transitorius var. *monotylos*, 71
triangulivalvis, 58
triangulivalvis var. *oreolapathum*, 64
tuberosus, 92
utahensis, 76
venosus, 31
verticillatus, 35
violascens, 131
 Rutaceae, 195, 371
 Rynchospora, 315
barbata, 315
cephalotes, 315
corymbosa, 315
cyperoides, 315
dives, 315
locuples, 315
polyphylla, 315
robusta, 315
 Salicifolii, 7
Salsola sativa, 240
 Salvia, 390
siguatepequensis, 390
 Sapindaceae, 375
 Sapotaceae, 385
 Sapranthus, 363
microcarpus, 363
 Sapuchi de la sierra, 219
 Saracha, 391
procumbens, 391
 Sarcoglottis, 329
picta, 329
 Saurauia, 376
leucocarpa, 376
villosa, 376
 Sauvagesia, 377
tenella, 377
 Schizaeaceae, 299
 Schlotheimia, 297
Mohriana, 297
Sartorii, 297
 Schoenocaulon, 323
officinale, 323
 Schomburgkia, 329
tibicinis, 329
 Scleria, 316
pterota var. *melaleuca*, 316
secans, 316
 Scrophulariaceae, 209, 392
 Selaginella, 311
cuspidata, 311
cuspidata var. *elongata*, 311

- Selaginella guatemalensis*, 311
 huehuetenangensis, 311
 Selaginellaceae, 311
Selenia dissecta, 191, 422
 grandis, 422, 443
 Jonesii, 422
 mexicana, 191, 422
 oinosepala, 422, 443
 Sematophyllaceae, 297
Sematophyllum, 297
 caespitosum, 297
 cuspidiferum, 297
 galipense, 297
Senecio, 402
 arborescens, 402
Setaria, 313
 geniculata, 313
Sida, 376
 ciliaris, 376
 linifolia, 376
Silene chihuahuensis, 190
 Simarubaceae, 372
 Simplicis, 7
Siparuna, 363
 nicaraguensis, 363
Sisyrinchium, 324
 alatum, 324
 Johnstonii, 229
 tinctorium, 229
Sloanea anisophylla, 411
 Smilacaceae, 323
Smilacina, 323
 paniculata, 323
Smilax, 323
 subpubescens, 323
Sobralia, 329
 macrantha, 329
 Solanaceae, 273, 390
Solanum, 391
 aculeatissimum, 391
 bicolor, 391
 erythrotrichum, 391
 guanicense, 391
 laurifolium, 392
 madrense, 392
 nigrum, 392
 nudum, 392
 Seaforthianum, 392
 umbellatum, 392
Solenophora Wilsonii, 210
Sonchus, 402
 oleraceus, 402
Sorghastrum, 313
 nutans, 313
Souroubea, 377
 guianensis, 377
Spananthe, 384
 paniculata, 384
Spathiphyllum, 318
 Friedrichsthali, 318
Sphyrospermum, 385
 majus, 385
Spigelia, 386
 Humboldtiana, 386
Sporobolus, 313
 indicus, 313
Stachys, 390
 guatemalensis, 390
Stanhopea, 330
 ecornuta, 330
 Staphyleaceae, 375
Stelis, 330
 hymenantha, 330
 thecoglossa, 330
Stenochlaena, 309
 vestita, 309
Stenogyne Calaminthoides, 579
 Cranwelliae, 578
 microphylla, 578
Stenophyllus, 316
 hirtellus, 316
Sticta, 294
 clathrata, 294
 laciniata, 294
 Pickeringii, 294
 Stictaceae, 294
Stictina, 294
 carpoloma, 294
Stigmaphyllon, 373
 ellipticum, 373
 puberum, 373
Struthanthus, 361
 cassithoides, 361
 densiflorus, 361
 guatemalensis, 237
 orbicularis, 361
Struthiopteris, 309
 polypodioides, 309
 varians, 309
 Styracaceae, 386
Styrax, 386
 argenteus, 386
 glabrescens, 386
Tagetes, 402
 filifolia, 402
 Schiedeana, 402
Tectaria, 310
 dilacerata, 310
Ternstroemia, 377
 Tepezapote, 377
Tetrorchidium rotundatum, 265
Thalictrum, 362
 hondurense, 362
 guatemalense, 362
 Theaceae, 377
Thecophyllum, 319
 montanum, 319
 Werkleanum, 319
Thibaudia, 385
 costaricensis, 385
 Thuidiaceae, 297
Thuidium, 297
 delicatulum, 297
Thymophylla puberula, 284
Tibouchina, 383

- Tibouchina longifolia*, 383
Tillandsia, 319
 Butzii, 319
 cyanea, 319
 excelsa, 319
 fasciculata, 319, 321
 festucoides, 319
 glossophylla, 319
 grandis, 320
 juncea, 320
 lampropoda, 320
 Leiboldiana, 321
 Makoyana, 321
 multicaulis, 321
 polystachya, 321
 prodigiosa, 322
 pruinosa, 321
 punctulata, 321
 recurvata, 321
 Schiedeana, 321
 Standleyi, 321
 usneoides, 321
 vestita, 321
 Walteri, 320
 Yunckeri, 322
Tinantia, 322
 erecta, 322
Tocoyena bullata, 284
 hispidula, 283
 megistantha, 223
Torrubia asperula, 242
 Hoehnei, 242
 Loefgrenii, 243
Tournefortia, 389
 glabra, 389
 hirsutissima, 389
 volubilis, 389
Tradescantia, 323
 chihuahuensis, 227
 collina, 228
 elongata, 323
 semisomna, 228
Trichilia, 372
 havanensis, 372
Tricholaena, 313
 rosea, 313
Trichomanes, 300
 capillaceum, 300
 montanum, 300
 radicans, 300
 rigidum, 300
Tridax, 402
 procumbens, 402
Tripsacum, 314
 dactyloides, 314
Trophis, 360
 chorizantha, 360
Turpinia, 375
 paniculata, 375

Ulmaceae, 234, 359
Ulmus *LeSueurii*, 235
Umbelliferae, 384

Uniola, 314
 Pittieri, 314
Urticaceae, 360
Usneaceae, 295
Utricularia, 392
 mixta, 392
 pusilla, 392

Valeriana, 399
 scorpioides, 399
Valerianaceae, 399
Vanilla, 330
 pompona, 330
Venosi, 7
Verbena, 390
 carolina, 390
 littoralis, 390
Verbenaceae, 206, 389
Verbesina, 402
 Oerstediana, 403
 Oerstediana var. *glabrior*, 404
 pleistocephala, 403
 vicina, 402
Vernonia, 405
 melanocarpa, 405
 Taylorae, 224
Verticillati, 7
Viburnum, 398
 discolor, 398
Vigna, 370
 repens, 370
Viguiera multiflora var. *genuina*, 422
 Shrevei, 421
Vincetoxicum, 387
 adenocardium, 267
 belizense, 268
 chihuahuense, 270
 Gentlei, 269
 Hatchii, 269
 LeSueurii, 270
 nummularium, 270
 Pittieri, 270
 porphyranthum, 387
 quercetorum, 271
 trichoneuron, 388
 tristiflorum, 272
Violaceae, 378
Vismia, 377
 guianensis, 377
Vitaceae, 375
Vitis, 376
 tiliifolia, 376
Vittaria, 310
 dimorpha, 310
 filifolia, 310
Vochysiaceae, 265
Vochysia hondurensis, 265
 tabascanana, 265

Wasiki, 195
Wedelia, 405
 parviceps, 405

- Xylosma, 378
 Hemsleyana, 378
- Yerba del indio, 239
- Zanthoxylum, 371
 limoniodorum, 371
 microcarpum, 371
- Zexmenia, 405
 aurantiaca, 407
 frutescens, 405
 perymenioides, 405
- Zingiberaceae, 324
- Zornia, 371
 diphylla, 371


THE LIBRARY OF THE
NOV 30 1940
UNIVERSITY OF ILLINOIS














UNIVERSITY OF ILLINOIS-URBANA



3 0112 018259140